


SUNCOR STAINLESS, INC.


# RIGGING



[www.suncorstainless.com](http://www.suncorstainless.com)

## WIRE ROPE CLIPS


304 STAINLESS STEEL



ITEM	A	B	C	D	E	WT
	(size)					(lb)
S0122-FS02	1/16"	0.09"	0.40"	0.52"	0.55"	0.02
S0122-FS03	1/8"	0.12"	0.43"	0.55"	0.62"	0.02
S0122-FS04	5/32"	0.15"	0.56"	0.70"	0.73"	0.04
S0122-FS05	3/16"	0.19"	0.67"	0.78"	0.87"	0.06
S0122-FS07	1/4"	0.23"	0.75"	0.84"	1.11"	0.09
S0122-FS08	5/16"	0.31"	0.90"	1.06"	1.34"	0.17
S0122-FS10	3/8"	0.38"	1.00"	1.32"	1.74"	0.36
S0122-FS13	1/2"	0.47"	1.40"	1.48"	1.97"	0.52
S0122-FS14	9/16"	0.47"	1.50"	1.70"	2.05"	0.61
S0122-FS16	5/8"	0.54"	1.87"	1.83"	2.33"	0.89
S0122-FS20	3/4"	0.54"	2.00"	2.05"	2.42"	1.03
S0122-FS22	7/8"	0.61"	2.32"	2.41"	2.81"	1.57
S0122-FS25	1"	0.61"	2.41"	2.40"	2.97"	1.81
S0122-FS32	1-1/4"	0.85"	2.32"	3.16"	4.12"	4.45

## HEAVY WIRE ROPE CLIPS

316-NM STAINLESS STEEL




ITEM	A	B	C	D	E	WT
	(size)					(lb)
S0122-0003	1/8"	0.21"	0.50"	0.80"	0.92"	0.06
S0122-0005	3/16"	0.24"	0.62"	0.95"	1.15"	0.10
S0122-0007	1/4"	0.30"	0.75"	1.18"	1.46"	0.20
S0122-0008	5/16"	0.36"	0.78"	1.33"	1.66"	0.28
S0122-0010	3/8"	0.43"	0.82"	1.56"	1.90"	0.44
S0122-0013	1/2"	0.48"	1.05"	1.90"	2.28"	0.71
S0122-0016	5/8"	0.54"	1.28"	2.05"	2.48"	1.00
S0122-0020	3/4"	0.62"	1.50"	2.24"	2.83"	1.48
S0122-0025	1"	0.68"	1.90"	2.59"	3.47"	2.55

**NOTE:**  
1/A/W FEDERAL SPECIFICATION FF-C-450D, TYPE 1.  
(EXCEPT 316 STAINLESS, DROP FORGED)

## "CHAIR" CLIPS

316-NM STAINLESS STEEL




ITEM	A	B	C	D	E	WT
	(size)					(lb)
S0122-C007	1/4"	0.36"	1.75"	0.93"	1.44"	0.22
S0122-C008	5/16"	0.38"	2.00"	1.07"	1.68"	0.31
S0122-C010	3/8"	0.43"	2.38"	1.10"	1.87"	0.46
S0122-C013	1/2"	0.50"	2.70"	1.26"	2.13"	0.61
S0122-C016	5/8"	0.62"	3.30"	1.50"	2.53"	1.16
S0122-C020	3/4"	0.75"	3.70"	1.75"	3.12"	1.88

**NOTE:**  
1/A/W FEDERAL SPECIFICATION FF-C-450D, TYPE 3, CLASS 1.  
(EXCEPT 316 STAINLESS, DROP FORGED)

## COMMERCIAL THIMBLE


304 STAINLESS STEEL



ITEM	SIZE	A	B	C	D	WT
	(size)					(lb)
S0123-0001	1/16"	0.10"	0.28"	0.48"	0.03"	0.30/100
S0123-0002	1/16"-5/64"	0.09"	0.31"	0.62"	0.03"	0.40/100
S0123-0003	3/32"-1/8"	0.12"	0.38"	0.72"	0.03"	0.50/100
S0123-0004	5/32"	0.14"	0.43"	0.73"	0.04"	0.74/100
S0123-0005	3/16"	0.20"	0.55"	0.78"	0.04"	0.01
S0123-0007	1/4"	0.25"	0.57"	0.95"	0.05"	0.02
S0123-0008	5/16"	0.34"	0.78"	1.40"	0.06"	0.04
S0123-0010	3/8"	0.42"	0.94"	1.70"	0.06"	0.06
S0123-0013	1/2"	0.54"	1.20"	1.85"	0.06"	0.08
S0123-0014	9/16"	0.60"	1.36"	2.05"	0.06"	0.10
S0123-0016	5/8"	0.68"	1.45"	2.37"	0.07"	0.17
S0123-0018	3/4"	0.76"	1.60"	2.63"	0.08"	0.21
S0123-0022	7/8"	0.95"	1.90"	3.10"	0.09"	0.39
S0123-0025	1"	1.05"	2.08"	3.36"	0.09"	0.49

## FED. SPEC. THIMBLE

316 STAINLESS STEEL



ITEM	SIZE	A	B	C	D	WT
	(size)					(lb)
S0123-FS05	3/16"	0.23"	0.71"	1.35"	0.05"	0.03
S0123-FS07	1/4"	0.28"	0.90"	1.60"	0.07"	0.08
S0123-FS08	5/16"	0.35"	1.08"	1.85"	0.07"	0.10
S0123-FS10	3/8"	0.40"	1.12"	2.00"	0.11"	0.23
S0123-FS13	1/2"	0.55"	1.52"	2.62"	0.15"	0.51
S0123-FS14	9/16"	0.62"	1.48"	2.94"	0.15"	0.54
S0123-FS16	5/8"	0.65"	1.78"	3.00"	0.15"	0.71
S0123-FS20	3/4"	0.85"	2.02"	3.83"	0.22"	1.61
S0123-FS22	7/8"	0.95"	2.30"	4.08"	0.22"	1.87
S0123-FS25	1"	1.12"	2.56"	4.80"	0.22"	2.56
S0123-FS28	1-1/8"	1.30"	3.00"	5.87"	0.22"	4.00
S0123-FS32	1-1/4"	1.38"	3.00"	6.25"	0.22"	4.24

**NOTE: HEAVY DUTY VERSION. DIMENSIONS AND WORKING LOAD ARE TO FEDERAL SPECIFICATION: FF-T-276B, TYPE III.**



Key:



Made in USA

Import



Drop Forged

Precision Cast



Precision Machined

Stamped



Wire Formed

Load Rated



Suncor Exclusive


New Product

ORDERS ONLY: 800-394-2222 (USA)  
877-495-5510 (CANADA)

All logos, icons, images, measurements and descriptions are the sole property of Suncor Stainless, Inc.  
© 2002 Suncor Stainless, Inc.

## EXTRA HEAVY THIMBLE

304 STAINLESS STEEL




ITEM	SIZE	A	B	C	D	WT
						(lb)
S0123-XH06	1/4"	0.27"	0.62"	1.08"	0.06"	0.08
S0123-XH08	5/16"	0.32"	0.94"	1.68"	0.04"	0.11
S0123-XH10	3/8"	0.42"	1.10"	2.00"	0.06"	0.23
S0123-XH13	1/2"	0.45"	1.37"	2.44"	0.09"	0.39
S0123-XH16	5/8"	0.62"	1.76"	3.18"	0.09"	0.67
S0123-XH20	3/4"	0.77"	2.15"	3.70"	0.09"	1.02
S0123-XH22	7/8"	0.87"	2.38"	3.92"	0.12"	1.32
S0123-XH25	1"	0.96"	2.76"	4.50"	0.13"	2.00

**NOTE:**  
PRECISION CAST EXTRA HEAVY DUTY THIMBLE, NOT FORMED FROM FLAT STEEL. EXCEPTIONAL RESISTANCE TO WEAR AND CRUSHING.

## MIL. SPEC. THIMBLE

316 STAINLESS STEEL




ITEM	SIZE	A	B	C	WT	
					(lb)	
S0124-AN01	100-C3	3/32"	0.09"	0.35"	0.70"	0.15/100
S0124-AN03	100-C4	1/8"	0.14"	0.35"	0.70"	0.43/100
S0124-AN04	100-C5	5/32"	0.17"	0.40"	0.80"	0.60/100
S0124-AN05	100-C6	3/16"	0.20"	0.50"	1.00"	0.98/100
S0124-AN07	100-C8	1/4"	0.27"	0.70"	1.40"	1.50/100
S0124-AN08	100-C10	5/16"	0.33"	0.90"	1.80"	3.50/100
S0124-AN10	100-C12	3/8"	0.39"	1.00"	2.00"	8.50/100
S0124-AN12	100-C14	7/16"	0.45"	1.13"	2.25"	9.30/100
S0124-AN13	100-C16	1/2"	0.52"	1.25"	2.50"	10.50/100

**NOTE:**  
MEETS MIL SPEC AN100 (AIR FORCE/NAVY)

## FED. SPEC. THIMBLE

304 STAINLESS STEEL




ITEM	SIZE	A	B	C	D	WT
						(lb)
S0125-FS05	3/16"	0.23"	0.71"	1.35"	0.05"	0.03
S0125-FS07	1/4"	0.28"	0.90"	1.60"	0.07"	0.08
S0125-FS08	5/16"	0.35"	1.08"	1.85"	0.07"	0.10
S0125-FS10	3/8"	0.40"	1.12"	2.00"	0.11"	0.23
S0125-FS13	1/2"	0.55"	1.52"	2.62"	0.15"	0.51
S0125-FS14	9/16"	0.62"	1.48"	2.94"	0.15"	0.54
S0125-FS16	5/8"	0.65"	1.78"	3.00"	0.15"	0.71
S0125-FS20	3/4"	0.85"	2.02"	3.83"	0.22"	1.61
S0125-FS22	7/8"	0.95"	2.30"	4.08"	0.22"	1.87
S0125-FS25	1"	1.12"	2.56"	4.80"	0.22"	2.56
S0125-FS28	1-1/8"	1.30"	3.00"	5.87"	0.22"	4.00
S0125-FS32	1-1/4"	1.38"	3.00"	6.25"	0.22"	4.24

**NOTE:** HEAVY DUTY VERSION. DIMENSIONS AND WORKING LOAD ARE TO FEDERAL SPECIFICATION: FF-T-276B, TYPE III.

## EYE & EYE SWIVEL


316 STAINLESS STEEL



ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
S0128-0004	5/32"	0.43"	0.50"	2.00"	150	0.12
S0128-0005	3/16"	0.50"	0.50"	2.31"	300	0.12
S0128-0006	1/4"	0.56"	0.56"	2.56"	600	0.12
S0128-0008	5/16"	0.75"	0.75"	3.62"	1,100	0.29
S0128-0010	3/8"	0.87"	1.00"	4.62"	1,540	0.55
S0128-0013	1/2"	1.25"	1.31"	6.00"	2,640	1.25
S0128-0016	5/8"	1.50"	1.62"	7.37"	4,750	2.10
S0128-0020	3/4"	1.62"	2.00"	8.50"	7,000	3.40
S0128-0022	7/8"	1.87"	2.00"	9.25"	8,000	5.02
S0128-0025	1"	2.50"	2.56"	11.00"	10,000	8.73

## HEAVY DUTY EYE & EYE SWIVEL

316 STAINLESS STEEL



ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
S0128-HD07	1/4"	0.50"	0.68"	3.25"	750	0.27
S0128-HD08	5/16"	0.62"	0.87"	3.62"	1,400	0.52
S0128-HD10	3/8"	0.75"	1.00"	4.62"	2,000	0.88
S0128-HD13	1/2"	1.00"	1.37"	6.00"	3,300	2.00

**NOTE:**  
MARKED WITH SIZE AND WORKING LOAD.




TEL 508-732-9191 • FAX 508-732-9798 • ORDERS ONLY 800-394-2222

www.suncorstainless.com



## NITRONIC EYE & EYE SWIVEL

NITRONIC 50



ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
S0128-NM10	3/8"	1.25"	1.31"	4.13"	3,000	0.70

**NOTE:**  
1/A/W MIL-F-17280D TYPE III, STYLE A.  
NITRONIC SHACKLES ARE SHOWN ON PAGE 7.

## EYE & JAW SWIVELS

316 STAINLESS STEEL




ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
S0155-0006	1/4"	0.50"	0.43"	2.62"	600	0.14
S0155-0008	5/16"	0.62"	0.62"	3.62"	1,100	0.33
S0155-0010	3/8"	0.75"	0.87"	4.62"	1,540	0.63
S0155-0013	1/2"	1.00"	1.12"	6.00"	2,640	1.40
S0155-0016	5/8"	1.25"	1.37"	7.37"	4,750	2.36
S0155-0020	3/4"	1.50"	1.62"	8.62"	7,000	3.93
<b>NO SNAG VERSION</b> S0155-NS06	1/4"	0.50"	0.43"	2.62"	600	0.14

**NOTE:**  
NO SNAG SHACKLE PIN SITS FLUSH WITH BODY OF SWIVEL. SUNCOR RECOMMENDS THE USE OF THREAD LOCKING FLUID WITH THIS TYPE OF SWIVEL.

## HEAVY DUTY EYE & JAW SWIVEL

316 STAINLESS STEEL




ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
S0155-HD07	1/4"	0.50"	0.68"	3.25"	750	0.24
S0155-HD08	5/16"	0.62"	0.87"	4.12"	1,400	0.48
S0155-HD10	3/8"	0.75"	1.00"	5.00"	2,000	0.82
S0155-HD13	1/2"	1.00"	1.37"	6.50"	3,300	1.88

**NOTE:**  
MARKED WITH SIZE AND WORKING LOAD.

## JAW & JAW SWIVEL

316 STAINLESS STEEL




ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
S0156-0006	1/4"	0.50"	0.43"	2.50"	600	0.15
S0156-0008	5/16"	0.62"	0.62"	3.50"	1,100	0.38
S0156-0010	3/8"	0.75"	0.87"	4.44"	1,540	0.74
S0156-0013	1/2"	1.00"	1.12"	5.88"	2,640	1.54
S0156-0016	5/8"	1.25"	1.37"	7.31"	4,750	2.63
S0156-0020	3/4"	1.50"	1.62"	8.63"	7,100	4.34

**NOTE:**  
COMMERCIAL TYPE.  
NO SNAG SHACKLE PIN AVAILABLE FOR SOME SIZES AT ADDITIONAL COST.

## HEAVY DUTY JAW & JAW SWIVEL

316 STAINLESS STEEL



ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
S0156-HD07	1/4"	0.50"	0.68"	3.25"	750	0.27
S0156-HD08	5/16"	0.62"	0.87"	3.62"	1,400	0.52
S0156-HD10	3/8"	0.75"	1.00"	4.62"	2,000	0.88
S0156-HD13	1/2"	1.00"	1.37"	6.00"	3,300	2.00

**NOTE:**  
MARKED WITH SIZE AND WORKING LOAD.  
BULK ORDERS ON SWIVELS WITH "NO SNAG" SHACKLE PIN MAY BE PLACED ON SPECIAL ORDER.



Key:




ORDERS ONLY: 800-394-2222 (USA)  
877-495-5510 (CANADA)

All logos, icons, images, measurements and descriptions are the sole property of Suncor Stainless, Inc.  
© 2002 Suncor Stainless, Inc.

## CHAIN & ANCHOR SWIVEL

17-4 PH STAINLESS STEEL



ITEM	SIZE	A	B	C	D	BL	WT
	(for chain)						(lb)
S0190-0008	1/4 - 5/16"	0.39"	0.29"	0.37"	0.66"	8,500	0.56
S0190-0013	3/8 - 1/2"	0.60"	0.50"	0.50"	0.87"	15,000	1.45
S0190-0020	1/2 - 3/4"	0.80"	0.61"	0.98"	1.52"	25,000	5.82


**NOTE:**  
**HEAVY DUTY CONSTRUCTION. SLEEK DESIGN WITH SOLID SCREW PINS. SWIVEL SPINS 360 DEGREES. EQUIPPED WITH BALL BEARINGS. THREAD LOCKING LIQUID INCLUDED.**

**REPLACEMENT PINS**

S0190-RP08	5/16"
S0190-RP13	1/2"
S0190-RP20	3/4"

## HAMMERLOCK LINK

316-NM STAINLESS STEEL




ITEM	SIZE	A	B	C	D	WLL	WT
						(lb)	(lb)
S0655-0005	3/16"	0.29"	1.56"	0.59"	0.35"	1,100	0.12
S0655-0007	1/4"	0.32"	1.95"	0.75"	0.48"	2,200	0.21
S0655-0008	5/16"	0.38"	2.25"	0.80"	0.45"	2,700	0.31
S0655-0010	3/8"	0.50"	2.95"	1.24"	0.79"	4,400	0.65
S0655-0013	1/2"	0.62"	3.62"	1.37"	0.80"	7,300	1.40
S0655-0016	5/8"	0.80"	4.25"	1.86"	1.20"	11,000	3.00

**REPLACEMENT PIN SET - INCLUDES PIN, BUSHING AND ROLL PIN**

S0655-KT05	3/16"						0.02
S0655-KT07	1/4"						0.03
S0655-KT08	5/16"						0.04
S0655-KT10	3/8"						0.09
S0655-KT13	1/2"						0.18
S0655-KT16	5/8"						0.30

## QUICK LINK


316 STAINLESS STEEL



ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
S0160-0003	1/8"	1.15"	0.43"	0.18"	200	0.02
S0160-0004	5/32"	1.30"	0.45"	0.25"	300	0.03
S0160-0005	3/16"	1.56"	0.53"	0.28"	800	0.05
S0160-0006	1/4"	1.86"	0.58"	0.32"	1,200	0.08
S0160-0007	9/32"	2.02"	0.67"	0.36"	1,400	0.11
S0160-0008	5/16"	2.42"	0.70"	0.44"	2,000	0.16
S0160-0009	23/64"	2.49"	0.85"	0.45"	3,000	0.24
S0160-0010	3/8"	2.78"	0.78"	0.52"	3,500	0.29
S0160-0012	1/2"	3.15"	1.00"	0.53"	5,000	0.52
S0160-0014	9/16"	3.69"	1.05"	0.67"	7,700	0.80
S0160-0016	5/8"	4.29"	1.17"	0.75"	9,900	1.12
S0160-0018	23/32"	4.80"	1.29"	0.91"	11,880	1.59

## PEAR QUICK LINK


316 STAINLESS STEEL



ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
S0160-PR03	1/8"	1.79"	0.80"	0.34"	200	0.03
S0160-PR04	5/32"	2.05"	0.95"	0.46"	250	0.04
S0160-PR05	3/16"	2.35"	1.10"	0.46"	575	0.07
S0160-PR06	1/4"	2.75"	1.20"	0.55"	850	0.10
S0160-PR08	5/16"	3.37"	1.45"	0.66"	1,450	0.22
S0160-PR10	3/8"	3.78"	1.72"	0.67"	1,850	0.42
S0160-PR12	1/2"	4.47"	2.12"	0.88"	3,300	0.68
S0160-PR14	9/16"	5.14"	2.26"	1.05"	4,600	0.99
S0160-PR16	5/8"	5.74"	2.52"	1.17"	5,900	1.30

## DELTA QUICK LINK

316 STAINLESS STEEL



ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
S0160-DX05	3/16"	1.53	1.18	0.23	400	0.05
S0160-DX06	1/4"	1.70	1.37	0.31	750	0.09
S0160-DX08	5/16"	2.25	1.53	0.42	1,400	0.20
S0160-DX10	3/8"	2.66	1.95	0.50	2,100	0.35
S0160-DX12	1/2"	3.26	2.08	0.56	3,200	0.57
S0160-DX14	9/16"	3.77"	2.26"	0.67"	5,400	0.86
S0160-DX16	5/8"	4.21"	2.42"	0.75"	7,000	1.19
S0160-DX18	23/32"	4.72"	2.62"	0.91"	9,200	1.65

**NOTE:**  
**BULK ORDERS ON ALL OTHER TYPES AND SIZES OF QUICK LINKS ARE AVAILABLE ON SPECIAL ORDER.**





**SUNCOR STAINLESS**

TEL 508-732-9191 • FAX 508-732-9798 • ORDERS ONLY 800-394-2222

www.suncorstainless.com

## ROUND RING

316 STAINLESS STEEL




ITEM	A	B	WLL	WT	ITEM	A	B	WLL	WT
			(lb)	(lb)					
S0139-0320	1/8"	3/4"	125	0.01	S0139-0840	5/16"	1-1/2"	750	0.14
S0139-0325	1/8"	1"	125	0.01	S0139-0845	5/16"	1-3/4"	700	0.15
S0139-0425	5/32"	1"	300	0.03	S0139-0850	5/16"	2"	600	0.16
S0139-0430	5/32"	1-1/4"	280	0.03	S0139-0865	5/16"	2-1/2"	500	0.20
S0139-0440	5/32"	1-1/2"	250	0.03	S0139-1050	3/8"	2"	1,100	0.26
S0139-0525	3/16"	1"	500	0.04	S0139-1065	3/8"	2-1/2"	1,000	0.33
S0139-0530	3/16"	1-1/4"	300	0.05	S0139-1080	3/8"	3-1/4"	800	0.39
S0139-0540	3/16"	1-1/2"	300	0.06	S0139-1210	1/2"	4"	1,600	0.63
S0139-0550	3/16"	2"	250	0.05	S0139-1260	1/2"	2-3/8"	1,400	0.45
S0139-0625	1/4"	1"	600	0.05	S0139-1265	1/2"	2-1/2"	1,350	0.48
S0139-0630	1/4"	1-1/4"	500	0.06	S0139-1280	1/2"	3-1/4"	1,200	0.56
S0139-0640	1/4"	1-1/2"	400	0.08					
S0139-0650	1/4"	2"	350	0.10					

**NOTE:**  
SPECIAL BULK ORDERS ON OTHER SIZES ARE AVAILABLE.

## RECTANGULAR LINK

316 STAINLESS STEEL





ITEM	A	B	C	WLL	WT
	(size)			(lb)	(lb)
S0139-R525	3/16"	0.50"	1.00"	600	0.03
S0139-R550	3/16"	0.50"	2.00"	550	0.05
S0139-R650	1/4"	1.00"	2.00"	800	0.08
S0139-R865	5/16"	1.50"	2.50"	1,200	0.19
S0139-R875	5/16"	1.50"	3.00"	1,100	0.22

**NOTE:**  
WORKING LOADS ARE BASED ON "C" LENGTH BEING USED IN FULL BY WEBBING, AND NOT UNDER POINT OR SHOCK LOAD.

## TRIANGLE LOOP

316 STAINLESS STEEL




ITEM	A	B	C	WLL	WT
	(size)			(lb)	(lb)
S0139-T525	3/16"	1.00"	1.00"	500	0.03
S0139-T650	1/4"	2.00"	2.00"	750	0.10

**NOTE:**  
SEE WEBBING HARDWARE ON PAGE 77.

## "D" RING

316 STAINLESS STEEL




ITEM	A	B	C	WLL	WT
	(size)			(lb)	(lb)
S0139-X325	1/8"	0.88"	1.00"	100	0.01
S0139-X525	3/16"	0.88"	1.00"	300	0.04
S0139-X540	3/16"	1.47"	1.50"	300	0.05
S0139-X625	1/4"	0.90"	1.00"	500	0.06
S0139-X640	1/4"	1.52"	1.50"	500	0.08
S0139-X650	1/4"	2.00"	2.00"	500	0.10
S0139-X850	5/16"	1.95"	2.00"	800	0.18
S0139-X865	5/16"	2.50"	2.50"	800	0.22
S0139-X875	5/16"	2.63"	3.00"	800	0.24

**NOTE:**  
WORKING LOADS ARE BASED ON "C" LENGTH BEING USED IN FULL BY WEBBING, AND NOT UNDER POINT OR SHOCK LOAD.

## HEAVY DUTY FORGED "D" RING

316 STAINLESS STEEL



ITEM	A	B	C	WLL	WT
	(size)			(lb)	(lb)
S0222-F025	1"	0.65"	0.23"	1,200	0.06
S0222-F038	1-1/2"	0.87"	0.31"	2,000	0.13
S0222-F050	2"	1.10"	0.37"	4,000	0.24

**NOTE:**  
WORKING LOAD IS BASED ON "A" LENGTH BEING USED IN FULL BY WEBBING, AND NOT UNDER POINT OR SHOCK LOAD.



**Key:**




ORDERS ONLY: 800-394-2222 (USA)  
877-495-5510 (CANADA)

All logos, icons, images, measurements and descriptions are the sole property of Suncor Stainless, Inc.  
© 2002 Suncor Stainless, Inc.

## LAP LINK

316 STAINLESS STEEL




ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
S0465-0005	3/16"	0.95"	0.58"	0.39"	300	0.04
S0465-0007	1/4"	1.25"	0.63"	0.50"	400	0.10
S0465-0008	5/16"	1.50"	0.70"	0.60"	700	0.15

**NOTE:**  
SPECIAL BULK ORDERS ON OTHER SIZES ARE AVAILABLE.

## CAST CONNECTING LINK

316 STAINLESS STEEL




ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
S0460-0005	3/16"	0.35"	0.70"	1.09"	400	0.03
S0460-0006	1/4"	0.43"	0.84"	1.30"	600	0.04
S0460-0008	5/16"	0.48"	0.95"	1.60"	1,000	0.09
S0460-0010	3/8"	0.60"	1.15"	1.87"	1,500	0.14
S0460-0013	1/2"	0.75"	1.45"	2.43"	2,000	0.28
S0460-0016	5/8"	0.95"	1.90"	3.15"	4,000	0.57

**NOTE:**  
DO NOT USE WITHOUT RIVETING PINS SECURELY.

## FORGED CONNECTING LINK

316-NM STAINLESS STEEL




ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
S0660-0007	1/4"	0.42	0.87"	1.50"	1,400	0.07
S0660-0008	5/16"	0.50	1.00"	1.75"	2,000	0.12
S0660-0010	3/8"	0.57	1.12"	2.12"	2,800	0.18

**NOTE:**  
SIZE AND WLL ARE PERMANENTLY FORGED INTO EACH PART DURING PRODUCTION. WLL ARE 25% OF BREAKING LOAD.  
DO NOT USE WITHOUT RIVETING PINS SECURELY.

## "C" CONNECT LINK

316 STAINLESS STEEL




ITEM	A	B	C	WLL	WT
	(size)			(lb)	(lb)
S0165-0005	3/16"	0.31"	0.75"	160	0.03
S0165-0006	1/4"	0.37"	0.87"	300	0.04
S0165-0008	5/16"	0.43"	1.25"	400	0.09
S0165-0010	3/8"	0.56"	1.50"	500	0.18
S0165-0013	1/2"	0.75"	2.00"	700	0.38
S0165-0016	5/8"	0.87"	2.50"	1,200	0.70
S0165-0020	3/4"	1.12"	3.00"	2,000	1.10

**NOTE:**  
QUICK CONNECT AND DISCONNECT ARE ACHIEVED BY TURNING LINKS 90 DEGREES TO EACH OTHER.  
SOLD INDIVIDUALLY.

## SLING IDENTIFICATION TAG

304 STAINLESS STEEL



ITEM	A	B	C	WT
				(lb)
S0600-0001	0.09"	3.50"	1.50"	0.10

**NOTE:**  
THIS TAG IS USED TO PERMANENTLY MARK SLINGS FOR OVERHEAD LIFTING AND SHOW MAXIMUM WORKING LOADS AT DIFFERENT ANGLES.  
SOLD WITH STAINLESS STEEL RING FOR EASY ATTACHMENT. MARKING AND SEIZING WIRE (S0715-0020) AVAILABLE.




TEL 508-732-9191 • FAX 508-732-9798 • ORDERS ONLY 800-394-2222

www.suncorstainless.com

## "QUICK" PIN


316 STAINLESS STEEL



ITEM	A	B	WLL	WT
S0370-0515	3/16"	1/2"	2,575	0.01
S0370-0525	3/16"	1"	2,575	0.01
S0370-0540	3/16"	1-1/2"	2,575	0.02
S0370-0550	3/16"	2"	2,575	0.02
S0370-0715	1/4"	1/2"	4,600	0.02
S0370-0725	1/4"	1"	4,600	0.03
S0370-0740	1/4"	1-1/2"	4,600	0.03
S0370-0750	1/4"	2"	4,600	0.04
S0370-0825	5/16"	1"	7,200	0.04
S0370-0840	5/16"	1-1/2"	7,200	0.05
S0370-0850	5/16"	2"	7,200	0.05
S0370-1025	3/8"	1"	10,300	0.08
S0370-1040	3/8"	1-1/2"	10,300	0.10
S0370-1050	3/8"	2"	10,300	0.12
S0370-1065	3/8"	2-1/2"	10,300	0.14

## "QUICKLOCK" PIN

316 STAINLESS STEEL



ITEM	A	B	WLL	WT
	(size)		(lb)	(lb)
S0375-0515	3/16"	1/2"	2,575	0.02
S0375-0520	3/16"	3/4"	2,575	0.03
S0375-0525	3/16"	1"	2,575	0.03
S0375-0540	3/16"	1-1/2"	2,575	0.04
S0375-0550	3/16"	2"	2,575	0.04
S0375-0715	1/4"	1/2"	4,600	0.04
S0375-0725	1/4"	1"	4,600	0.04
S0375-0740	1/4"	1-1/2"	4,600	0.05
S0375-0750	1/4"	2"	4,600	0.05
S0375-0820	5/16"	3/4"	7,200	0.05
S0375-0825	5/16"	1"	7,200	0.06
S0375-0840	5/16"	1-1/2"	7,200	0.08
S0375-0850	5/16"	2"	7,200	0.10
S0375-0865	5/16"	2-1/2"	7,200	0.12
S0375-1025	3/8"	1"	10,300	0.08
S0375-1040	3/8"	1-1/2"	10,300	0.10
S0375-1050	3/8"	2"	10,300	0.12
S0375-1065	3/8"	2-1/2"	10,300	0.14

**CAUTION:**  
ALL "QUICK" & "QUICKLOCK" PIN WORKING LOADS ARE CALCULATED IN DOUBLE SHEAR AND NOT AS PULL OUT FORCE, WHICH IS UNRATED.

## PULLEY BLOCK

304 STAINLESS STEEL




ITEM	SIZE	PIN	LENGTH	WLL	WT
	(sheave)			(lb)	(lb)
<b>WITH BRACKET</b>					
S0405-BR25	1"	0.19"	2.24"	400	0.07
<b>WITH FIXED PIN</b>					
S0405-FP25	1"	0.31"	1.78"	400	0.07
<b>WITH REMOVABLE PIN</b>					
S0405-RP25	1"	0.19"	1.78"	400	0.07

**NOTE:**  
PLASTIC SHEAVE WITH STAINLESS BODY, UP TO 1/4" ROPE.

## ROPE SHEAVE (BUSH)

304 STAINLESS STEEL



ITEM	A	B	C	D	E	WT
	(rope size)	(overall)	(bore)	(rim width)	(width)*	(lb)
S0400-0025	1/4"	1.00"	1/4"	0.59"	0.59"	0.08
S0400-0032	5/16"	1.25"	3/8"	0.57"	0.61"	0.12
S0400-0050	3/8"	2.00"	3/8"	0.78"	0.81"	0.26
S0400-0075	1/2"	3.25"	1/2"	0.73"	0.94"	0.76
S0400-0100	5/8"	4.25"	5/8"	0.94"	1.05"	1.22
S0400-0125	3/4"	5.25"	5/8"	1.13"	1.18"	2.28
S0400-0150	1"	5.75"	1"	1.13"	1.34"	4.18

**NOTE:**  
FOR FIBROUS ROPE; FITTED WITH BRONZE BUSH, BORE CAN BE CUSTOMIZED.




**Key:**



ORDERS ONLY: 800-394-2222 (USA)  
877-495-5510 (CANADA)

All logos, icons, images, measurements and descriptions are the sole property of Suncor Stainless, Inc.  
© 2002 Suncor Stainless, Inc.

## ROPE SHEAVE (BUSH) 316 STAINLESS STEEL




ITEM	A (rope size)	B (overall)	C (bore)	D (rim width)	E (width)*	WT (lb)
S0410-0707	1/4"	1.25"	1/4"	0.38"	0.53"	0.09
S0410-0807	5/16"	1.75"	1/4"	0.44"	0.65"	0.18
S0410-0808	5/16"	1.75"	5/16"	0.44"	0.65"	0.18
S0410-0810	5/16"	1.75"	3/8"	0.44"	0.65"	0.18
S0410-1010	3/8"	2.25"	3/8"	0.56"	0.82"	0.34
S0410-1013	3/8"	2.25"	1/2"	0.56"	0.82"	0.34
S0410-1207	7/16"	3.25"	1/4"	0.72"	0.94"	0.84
S0410-1210	7/16"	3.25"	3/8"	0.72"	0.94"	0.84
S0410-1313	1/2"	3.25"	1/2"	0.72"	0.94"	0.84
S0410-1320	1/2"	3.25"	3/4"	0.72"	0.94"	0.84
S0410-1410	9/16"	4.25"	3/8"	0.94"	1.13"	1.70
S0410-1413	9/16"	4.25"	1/2"	0.94"	1.13"	1.68
S0410-1613	5/8"	4.25"	1/2"	0.94"	1.13"	1.58
S0410-1616	5/8"	4.25"	5/8"	0.94"	1.13"	1.55
S0410-2013	3/4"	5.25"	1/2"	1.13"	1.38"	2.67
S0410-2016	3/4"	5.25"	5/8"	1.13"	1.38"	2.65
S0410-2513	1"	6.25"	1/2"	1.38"	1.63"	4.84
S0410-2520	1"	6.25"	3/4"	1.38"	1.63"	4.82

**NOTE:**  
FOR FIBROUS ROPE; FITTED WITH BRONZE BUSH,  
BORE CAN BE CUSTOMIZED.

\* HUB OF STAINLESS SHEAVE IS APPROXIMATELY 1/16"-1/8"  
NARROWER THAN HUB WIDTH OF BUSH GIVEN.



## ROPE SHEAVE (BEARINGS) 316 STAINLESS STEEL




ITEM	A (rope size)	B (overall)	C (bore)	D (rim width)	E (width)*	WT (lb)
S0411-0707	1/4"	1.25"	1/4"	0.38"	0.53"	0.08
S0411-1010	3/8"	2.25"	3/8"	0.56"	0.81"	0.27
S0411-1313	1/2"	3.25"	1/2"	0.72"	0.94"	0.60
S0411-1616	5/8"	4.25"	5/8"	0.94"	1.07"	1.38

**NOTE:**  
FOR FIBROUS ROPE; FITTED WITH TWO HIGH QUALITY,  
SHIELDED, STAINLESS STEEL BEARINGS.

\* HUB OF STAINLESS SHEAVE IS APPROXIMATELY 1/8" NARROWER  
THAN HUB WIDTH OF BEARING GIVEN.



## WIRE ROPE SHEAVE (BUSH) 316 STAINLESS STEEL




ITEM	A (rope size)	B (overall)	C (bore)	D (rim width)	E (width)*	WT (lb)
S0412-0307	3/32"+1/8"	2.25"	1/4"	0.56"	0.82"	0.41
S0412-0310	3/32"+1/8"	2.25"	3/8"	0.56"	0.82"	0.39
S0412-0510	3/16"	3.25"	3/8"	0.72"	0.94"	0.91
S0412-0513	3/16"	3.25"	1/2"	0.72"	0.94"	0.89
S0412-0713	1/4"	4.25"	1/2"	0.94"	1.13"	1.67
S0412-0716	1/4"	4.25"	5/8"	0.94"	1.13"	1.70
S0412-0813	5/16"	5.25"	1/2"	1.13"	1.38"	3.00
S0412-0816	5/16"	5.25"	5/8"	1.13"	1.38"	2.97
S0412-1013	3/8"	6.25"	1/2"	1.38"	1.63"	5.79
S0412-1020	3/8"	6.25"	3/4"	1.38"	1.63"	5.59

**NOTE:**  
FOR WIRE ROPE; FITTED WITH BRONZE BUSH, BORE CAN BE  
CUSTOMIZED.



## WIRE ROPE SHEAVE (BEARINGS) 316 STAINLESS STEEL



ITEM	A (rope size)	B (overall)	C (bore)	D (rim width)	E (width)*	WT (lb)
S0413-0307	3/32"+1/8"	2.25"	3/8"	0.56"	0.81"	0.36
S0413-0510	3/16"	3.25"	1/2"	0.72"	0.94"	0.82
S0413-0713	1/4"	4.25"	1/2"	0.94"	1.07"	1.50
S0413-0816	5/16"	5.25"	3/4"	1.13"	1.41"	2.63
S0413-1020	3/8"	6.25"	3/4"	1.38"	1.70"	5.20

**NOTE:**  
FOR WIRE ROPE; FITTED WITH TWO HIGH QUALITY, SHIELDED,  
STAINLESS STEEL BEARINGS.

\* HUB OF STAINLESS SHEAVE IS APPROXIMATELY  
1/8" NARROWER THAN HUB WIDTH OF BEARING GIVEN.




TEL 508-732-9191 • FAX 508-732-9798 • ORDERS ONLY 800-394-2222


www.suncorstainless.com

## SWIVEL BLOCK

304 STAINLESS STEEL




ITEM	SHEAVE	A	B	C	D	WLL	WT
(size)						(lb)	(lb)
S0401-0025	5/8"	S0400-0025	1"	1/4"	0.61"	3.28	400 0.31
S0401-0032	7/8"	S0400-0032	1.5"	5/16"	0.63"	3.85	600 0.42
S0401-0050	1-3/8"	S0400-0050	2"	3/8"	0.82"	5.00	1,000 0.80
<b>ALSO AVAILABLE: SWIVEL BLOCK W/ HOOK</b>							
S0401-H050	1-3/8"	S0400-0050	2"	3/8"	0.56"	5.40	750 0.80



## TWIN SWIVEL BLOCK


304 STAINLESS STEEL



ITEM	SHEAVE	A	B	C	D	WLL	WT
(size)						(lb)	(lb)
S0402-0025	5/8"	S0400-0025	1"	1/4"	0.58"	3.28	400 0.46
S0402-0032	7/8"	S0400-0032	1.5"	5/16"	0.63"	3.85	600 0.62
S0402-0050	1-3/8"	S0400-0050	2"	3/8"	0.82"	5.00	1,000 1.29
<b>NOTE: SUPPLIED WITH FIXED 304 STAINLESS SHEAVES.</b>							

## SWIVEL BLOCK


304/316 STAINLESS STEEL



ITEM	SHEAVE	A	B	C	D	WLL	WT
(size)						(lb)	(lb)
S0403-0025	1"	S0410-0706	1.25"	1/4"	0.58"	3.28	400 0.33
S0403-0038	1-1/2"	S0410-0808	1.75"	5/16"	0.63"	3.85	600 0.50
S0403-0050	2"	S0410-1010	2.25"	3/8"	0.82"	5.00	1,000 0.92
<b>ALSO AVAILABLE: SWIVEL BLOCK W/ WIRE ROPE SHEAVE.</b>							
S0403-0050-W	2"	S0412-0310	2.25"	3/32"+1/8"	0.82"	5.00	1,000 0.97
<b>NOTE: SUPPLIED WITH REMOVABLE 316 STAINLESS SHEAVE.</b>							

## TWIN SWIVEL BLOCK


304/316 STAINLESS STEEL



ITEM	SHEAVE	A	B	C	D	WLL	WT
(size)						(lb)	(lb)
S0404-0025	1"	S0410-0706	1.25"	1/4"	0.58"	3.28	400 0.50
S0404-0038	1-1/2"	S0410-0808	1.75"	5/16"	0.63"	3.85	600 0.78
S0404-0050	2"	S0410-1010	2.25"	3/8"	0.82"	5.00	1,000 1.53
<b>NOTE: SUPPLIED WITH REMOVABLE 316 STAINLESS SHEAVES.</b>							

## SQUARE SWIVEL EYE BLOCK

304/316 STAINLESS STEEL



ITEM	A	SHEAVE	B	C	D	WLL	WT
(size)						(lb)	(lb)
<b>ROPE</b>							
S0426-0050	1-3/8"	S0400-0050	3/8"	0.82"	5.00"	1,000	1.75
S0426-0075	2-1/2"	S0400-0075	1/2"	0.97"	6.75"	1,400	2.10
S0426-0100	3"	S0400-0100	5/8"	0.97"	8.00"	2,000	3.34
S0426-0050-R	2"	S0410-1010	3/8"	0.82"	5.00"	1,000	1.75
S0426-0075-R	3"	S0410-1313	1/2"	0.97"	6.75"	1,400	2.10
S0426-0100-R	4"	S0410-1616	5/8"	0.97"	8.00"	2,000	3.34
<b>WIRE</b>							
S0426-0050-W	2"	S0412-0307	1/8"	0.82"	5.00"	1,000	1.75
S0426-0075-W	3"	S0412-0513	3/16"	0.97"	6.75"	1,400	2.10
S0426-0100-W	4"	S0412-0716	1/4"	0.97"	8.00"	2,000	3.34
<b>NOTE: SUPPLIED WITH REMOVABLE 316 OR 304 STAINLESS SHEAVE. EYE IS NOT REMOVABLE.</b>							



Key:

Made in USA	Drop Forged	Precision Machined	Wire Formed	Suncor Exclusive
Import	Precision Cast	Stamped	Load Rated	New Product

ORDERS ONLY: 800-394-2222 (USA)  
877-495-5510 (CANADA)

All logos, icons, images, measurements and descriptions are the sole property of Suncor Stainless, Inc. © 2002 Suncor Stainless, Inc.

## SWIVEL EYE BLOCK 304/316 STAINLESS STEEL



ITEM	SHEAVE	FITS	EYE	LENGTH	WLL	WT
	(size)				(lb)	(lb)
<b>ROPE</b>						
S0423-E075	3"	S0400-0075	1/2"	0.95"	10.00"	2,22
S0423-E100	4"	S0400-0100	5/8"	0.95"	12.50"	4,08
S0423-E125	5"	S0400-0125	3/4"	1.25"	14.00"	5,38
S0423-E075-R	3"	S0410-1313	1/2"	0.95"	10.00"	2,22
S0423-E100-R	4"	S0410-1616	5/8"	0.95"	12.50"	4,08
S0423-E125-R	5"	S0410-2016	3/4"	1.25"	14.00"	5,38
<b>WIRE</b>						
S0423-E075-W	3"	S0412-0513	3/16"	0.95"	10.00"	2,22
S0423-E100-W	4"	S0412-0716	1/4"	0.95"	12.50"	4,08
S0423-E125-W	5"	S0412-0816	5/16"	1.25"	14.00"	5,38

**NOTE:**  
SUPPLIED WITH REMOVABLE 316 OR 304 STAINLESS SHEAVE. EYE IS NOT REMOVABLE. WORKING LOAD LIMIT DOES NOT APPLY TO THE BECKET.

## TWIN SWIVEL EYE BLOCK 304/316 STAINLESS STEEL



ITEM	SHEAVE	FITS	EYE	LENGTH	WLL	WT
	(size)				(lb)	(lb)
<b>ROPE</b>						
S0424-E075	3"	S0400-0075	1/2"	0.95"	10.00"	3,46
S0424-E100	4"	S0400-0100	5/8"	0.95"	12.50"	5,25
S0424-E125	5"	S0400-0125	3/4"	1.25"	14.00"	6,50
S0424-E075-R	3"	S0410-1313	1/2"	0.95"	10.00"	3,46
S0424-E100-R	4"	S0410-1616	5/8"	0.95"	12.50"	5,25
S0424-E125-R	5"	S0410-2016	3/4"	1.25"	14.00"	6,50
<b>WIRE</b>						
S0424-E075-W	3"	S0412-0513	3/16"	0.95"	10.00"	3,46
S0424-E100-W	4"	S0412-0716	1/4"	0.95"	12.50"	5,25
S0424-E125-W	5"	S0412-0816	5/16"	1.25"	14.00"	6,50

**NOTE:**  
SUPPLIED WITH 2 REMOVABLE 316 OR 304 STAINLESS SHEAVES. EYE IS NOT REMOVABLE. WORKING LOAD LIMIT DOES NOT APPLY TO THE BECKET.

## SEINE BLOCK WITH EYE 316 STAINLESS STEEL



ITEM	SHEAVE	FITS	EYE	LENGTH	WLL	WT
	(size)				(lb)	(lb)
<b>ROPE</b>						
S0427-0075	3"	S0400-0075	1/2"	0.94"	8.75"	3,12
S0427-0100	4"	S0400-0100	5/8"	0.94"	9.75"	5,92
S0427-0075-R	3"	S0410-1313	1/2"	0.94"	8.75"	3,12
S0427-0100-R	4"	S0410-1616	5/8"	0.94"	9.75"	5,92
<b>WIRE</b>						
S0427-0075-W	3"	S0412-0513	3/16"	0.94"	8.75"	3,12
S0427-0100-W	4"	S0412-0716	1/4"	0.94"	9.75"	5,92

**NOTE:**  
SUPPLIED WITH REMOVABLE 316 OR 304 STAINLESS SHEAVE. EYE IS NOT REMOVABLE.

## SEINE BLOCK WITH HOOK 316 STAINLESS STEEL



ITEM	SHEAVE	FITS	HOOK	LENGTH	WLL	WT
	(size)				(lb)	(lb)
<b>ROPE</b>						
S0427-H075	3"	S0400-0075	1/2"	0.71"	9.50"	3,44
S0427-H100	4"	S0400-0100	5/8"	1.26"	12.00"	6,58
S0427-H075-R	3"	S0410-1313	1/2"	0.71"	9.50"	3,44
S0427-H100-R	4"	S0410-1616	5/8"	1.26"	12.00"	6,58
<b>WIRE</b>						
S0427-H075-W	3"	S0412-0513	3/16"	0.71"	9.50"	3,44
S0427-H100-W	4"	S0412-0716	1/4"	1.26"	12.00"	6,58

**NOTE:**  
SUPPLIED WITH REMOVABLE 316 OR 304 STAINLESS SHEAVE. HOOK IS NOT REMOVABLE.


## RATED SNATCH BLOCK 316 STAINLESS STEEL



ITEM	SHEAVE	FITS	EYE	LENGTH	WLL	WT
	(size)				(lb)	(lb)
<b>ROPE</b>						
S0428-0075	3"	S0400-0075	1/2"	0.78"	9.00"	2,84
S0428-0100	4"	S0400-0100	5/8"	0.95"	11.00"	5,60
S0428-0125	5"	S0400-0125	3/4"	1.06"	13.25"	8,14
S0428-0150	6"	S0400-0150	1"	1.15"	15.00"	11,28
S0428-0075-R	3"	S0410-1313	1/2"	0.78"	9.00"	2,84
S0428-0100-R	4"	S0410-1616	5/8"	0.95"	11.00"	5,60
S0428-0125-R	5"	S0410-2016	3/4"	1.06"	13.25"	8,14
S0428-0150-R	6"	S0410-2520	1"	1.15"	15.00"	11,28
<b>WIRE</b>						
S0428-0075-W	3"	S0412-0513	3/16"	0.78"	9.00"	2,84
S0428-0100-W	4"	S0412-0716	1/4"	0.95"	11.00"	5,60
S0428-0125-W	5"	S0412-0816	5/16"	1.06"	13.25"	8,14
S0428-0150-W	6"	S0412-1020	3/8"	1.15"	15.00"	11,28




## SURFACE MOUNT BLOCKS 304/316 STAINLESS STEEL



ITEM	A	B	C	D	E	WLL	WT
	(size)	(fits)				(lb)	(lb)
S0420-0050	2"	3/8"	2.75"	2.25"	3/16"	1,000	1.02
S0420-0075	3"	1/2"	4.00"	2.75"	1/4"	2,000	1.33
S0420-0100	4"	5/8"	5.25"	3.25"	3/8"	3,000	2.54
<b>NOTE:</b> SHEAVE IS PRECISION CAST AND FITTED WITH BRONZE BUSH. REMOVABLE SHEAVE. TWO PIECE BLOCK MOUNTS WITH 4 FASTENERS.							
S0421-0050	2"	3/8"	3.00"	3/16"	N/A	1,000	1.05
S0421-0075	3"	1/2"	4.25"	1/4"	N/A	2,000	1.40
S0421-0100	4"	5/8"	5.50"	3/8"	N/A	3,000	2.65
<b>NOTE:</b> SHEAVE IS PRECISION CAST AND FITTED WITH BRONZE BUSH. REMOVABLE SHEAVE. ONE PIECE BLOCK MOUNTS WITH 1 FASTENER.							
S0422-0050	2"	3/8"	3.50"	2.25"	3/16"	1,000	1.11
S0422-0075	3"	1/2"	5.00"	2.75"	1/4"	2,000	1.58
S0422-0100	4"	5/8"	6.50"	3.25"	3/8"	3,000	2.87
<b>NOTE:</b> SHEAVE IS PRECISION CAST AND FITTED WITH BRONZE BUSH. REMOVABLE SHEAVE. ONE PIECE BLOCK MOUNTS WITH 4 FASTENERS.							
<b>ALL SHEAVES ARE 316 STAINLESS, S0410-SERIES (PAGE 63). WIRE ROPE SHEAVES S0412-SERIES ARE AVAILABLE ON SPECIAL ORDER.</b>							

## MASTER LINK 316-NM STAINLESS STEEL




ITEM	A	B	C	WLL	WT
	(size)			(lb)	(lb)
S0650-0010	3/8"	3.00"	1.50"	2,000	0.35
S0650-0013	1/2"	5.00"	2.50"	3,000	0.84
S0650-0016	5/8"	6.00"	3.00"	4,000	1.61
S0650-0020	3/4"	5.50"	2.75"	6,000	2.26
S0650-0025	1"	7.00"	3.50"	12,000	4.94
S0650-0032	1-1/4"	8.75"	4.38"	20,000	9.65
<b>NOTE:</b> EACH LINK IS INTEGRAL FORGED, NOT WELDED, AND IS STAMPED WITH SIZE AND WORKING LOAD. BE SURE ALL COMPONENTS OF YOUR ASSEMBLY HAVE MATCHED WLL.					


## U.S. MASTER & PEAR LINKS 316 STAINLESS STEEL



ITEM	A	B	C	WLL	WT
	(size)			(lb)	(lb)
<b>MASTER</b> S0650-US38	1-1/2"	12.50"	6.25"	30,000	18.24
<b>PEAR</b> S0651-US38	1-1/2"	5.89"	11.82"	30,000	17.24
<b>NOTE:</b> "US" LINKS ARE UNPOLISHED. OTHER SIZES ARE AVAILABLE, HOWEVER QUANTITIES ARE LIMITED. PLEASE CALL FOR AVAILABILITY.					



## MASTER LINK W/LEGS 316-NM STAINLESS STEEL



ITEM	A	B	C	D	WLL	WT
	(size)				(lb)	(lb)
S0652-0013	1/2"	3/8"	5.00"	3.00"	3,000	1.54
S0652-0016	5/8"	1/2"	6.00"	5.00"	4,000	3.29
S0652-0020	3/4"	5/8"	5.50"	6.00"	6,000	5.48
S0652-0025	1"	3/4"	7.00"	5.50"	12,000	9.46
S0652-0032	1-1/4"	1"	8.75"	7.00"	20,000	19.53
<b>NOTE:</b> EACH MASTER LINK IS INTEGRAL FORGED, THEN WELDED, AND IS STAMPED WITH SIZE AND WORKING LOAD.						



Key:



ORDERS ONLY: 800-394-2222 (USA)  
877-495-5510 (CANADA)

All logos, icons, images, measurements and descriptions are the sole property of Suncor Stainless, Inc.  
© 2002 Suncor Stainless, Inc.